

L Number	Hits	Search Text	DB	Time stamp
4	4	("5671026"   "5909035"   "6043971"   "6081307").PN.	USPAT	2004/09/01 09:11
8	3	("4233632"   "4609824"   "5268765").PN.	USPAT	2004/09/01 09:15
14	2	("5068748"   "5200876").PN.	USPAT	2004/09/01 09:16
15	3	("4738749"   "4803536"   "4876584").PN.	USPAT	2004/09/01 09:17
16	47	5068748.URPN.	USPAT	2004/09/01 09:18
17	58	("4036553"   "4066918"   "4103297"   "4131928"   "4239346"   "4393380"   "4427979"   "4455737"   "4468855"   "4523189"   "4557036"   "4559535"   "4646426"   "4680580"   "4697887"   "4709995"   "4746628"   "4769338"   "4803536"   "4818077"   "4841294"   "4868137"   "4876584"   "4897757"   "4900695"   "4905066"   "4908710"   "4930036"   "4938565"   "4949141"   "5003356"   "5012228"   "5017914"   "5051570"   "5055899"   "5056895"   "5068748"   "5084905"   "5087955"   "5097311"   "5113181"   "5144392"   "5157386"   "5159476"   "5159518"   "5182620"   "5200846"   "5200876"   "5204988"   "5220443"   "5250931"   "5251071"   "5264839"   "5327001"   "5495353"   "5514879"   "5585949"   "5612799").PN.	USPAT	2004/09/01 09:19
18	23496	TFT andscan near2 line near2 drive	USPAT; US-PGPUB	2004/09/01 09:43
19	192	TFT and scan near2 line near2 drive	USPAT; US-PGPUB	2004/09/01 09:45
20	192	TFT and scan near2 line near2 drive	USPAT; US-PGPUB	2004/09/01 09:44
21	7	(TFT and scan near2 line near2 drive) and esd	USPAT; US-PGPUB	2004/09/01 09:45
22	115	LCD and scan near2 line near2 drive	USPAT; US-PGPUB	2004/09/01 09:45
23	5	(LCD and scan near2 line near2 drive) and esd	USPAT; US-PGPUB	2004/09/01 09:46
24	3211	LCD and scan near2 line	USPAT; US-PGPUB	2004/09/01 09:45
25	30	(LCD and scan near2 line ) and esd	USPAT; US-PGPUB	2004/09/01 09:50
26	5687	LCD and drive near2 circuit	USPAT; US-PGPUB	2004/09/01 09:50
27	43	(LCD and drive near2 circuit) and esd	USPAT; US-PGPUB	2004/09/01 09:52
28	3	((("6696701") or ("5371351") or ("5885949")).PN.	USPAT; US-PGPUB	2004/09/01 09:57
29	2	((("5585949") or ("20030020845")).PN.	USPAT; US-PGPUB	2004/09/01 10:06
30	14	("4066918"   "4131928"   "4393380"   "4523189"   "4803536"   "4876584"   "4897757"   "4930036"   "5068748"   "5087955"   "5144392"   "5159518"   "5204988"   "5220443").PN.	USPAT	2004/09/01 10:02
31	9	5585949.URPN.	USPAT	2004/09/01 10:03
32	4	LCD and internal near2 esd	USPAT; US-PGPUB	2004/09/01 10:11
33	0	20020105512.URPN.	USPAT	2004/09/01 10:08
34	9	("5361185"   "5596342"   "5671026"   "5956105"   "5973658"   "6043971"   "6072550"   "6100949"   "6266034"   "2002/0018154"   "2002/0030509"   "2002/0055219"   "2002/0057392").PN.	USPAT	2004/09/01 10:09
35	0	6753836.URPN.	USPAT	2004/09/01 10:11
36	284	LCD and internal near2 protect\$3	USPAT; US-PGPUB	2004/09/01 10:12
37	9	LCD near2 drive and internal near2 protect\$3	USPAT; US-PGPUB	2004/09/01 10:16

38	2093	LCD and test near2 (device circuit)	USPAT; US-PGPUB	2004/09/01 10:17
39	49	(LCD and test near2 (device circuit)) and	USPAT; US-PGPUB	2004/09/01 10:14
40	9	esd (esd electrostatic) near3 gate near2 drive	USPAT; US-PGPUB	2004/09/01 10:17
41	2285	LCD and gate near2 driv\$2	USPAT; US-PGPUB	2004/09/01 10:18
42	35	(LCD and gate near2 driv\$2) and esd	USPAT; US-PGPUB	2004/09/01 10:22
43	4047	external\$2 near2 (voltage power) and lcd	USPAT; US-PGPUB	2004/09/01 10:21
44	95	(external\$2 near2 (voltage power) and lcd)	USPAT; US-PGPUB	2004/09/01 10:25
45	79377	and esd positive near2 voltage	USPAT; US-PGPUB	2004/09/01 10:26
46	67894	negative near2 voltage	USPAT; US-PGPUB	2004/09/01 10:26
47	45478	(positive near2 voltage) and (negative	USPAT; US-PGPUB	2004/09/01 10:26
48	527	near2 voltage) ((positive near2 voltage) and (negative	USPAT; US-PGPUB	2004/09/01 10:26
49	10	near2 voltage)) and LCD near2 driv\$3	USPAT; US-PGPUB	2004/09/01 10:27
50	9	((positive near2 voltage) and (negative	USPAT; US-PGPUB	2004/09/01 10:29
51	167	near2 voltage)) and LCD near2 driv\$3) and	USPAT; US-PGPUB	2004/09/01 10:46
52	22	esd row near2 driv\$3 same esd	USPAT; US-PGPUB	2004/09/01 10:33
53	9	(("5345356"   "5521783"   "5559659"	USPAT	2004/09/01 10:35
54	5	"5644460"   "5706156"   "5721656"	USPAT	2004/09/01 10:36
55	10	"5751051"   "5875086"   "5923079"	USPAT	2004/09/01 10:38
56	9	"5953191"   "5982599"   "6072350"	USPAT	2004/09/01 10:44
57	8666	"6118640"   "6144542"   "6157203"	USPAT; US-PGPUB	2004/09/01 10:47
58	756	"6169310"   "6249414"   "6292343"	USPAT; US-PGPUB	2004/09/01 10:52
59	6	"6411480"   "6411485"   "6424013"	USPAT; US-PGPUB	2004/09/01 10:47
61	149	"6650165"   "2002/0021538").PN.	USPAT; US-PGPUB	2004/09/01 16:24
62	0	("5400202"   "5541801"   "5721656"	USPAT; US-PGPUB	2004/09/01 10:50
63	77	"5869873"   "5917689"   "5959820"	USPAT; US-PGPUB	2004/09/01 10:48
65	12	"5986863"   "6069782"   "6075686").PN.	USPAT; US-PGPUB	2004/09/01 10:51
67	0	6411485.URPN.	USPAT; US-PGPUB	2004/09/01 10:51
69	1	("5290724"   "5379175"   "5629545"	USPAT; US-PGPUB	2004/09/01 10:53
70	304	"5644460"   "5670799"   "5717559"	USPAT; US-PGPUB	2004/09/01 10:53
		"5721656"   "5731940"   "5751051"	USPAT; US-PGPUB	
		"5875086").PN.	USPAT; US-PGPUB	
		("4803536"   "5220443"   "5313319"	USPAT; US-PGPUB	
		"5371351"   "5373377"   "5497146"	USPAT; US-PGPUB	
		"5504348"   "5668032"   "5909035").PN.	USPAT; US-PGPUB	
		TFT near2 (array device circuit switch)	USPAT; US-PGPUB	
		(TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and ((positive near2 voltage) and	USPAT; US-PGPUB	
		(negative near2 voltage))	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and ((positive near2 voltage) and	USPAT; US-PGPUB	
		(negative near2 voltage))) and esd	USPAT; US-PGPUB	
		(TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and (plurality near2 supplies)	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and (plurality near2 supplies)) and esd	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and (plurality near2 supplies)) and	USPAT; US-PGPUB	
		protect\$3	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and voltage near2 supplies) and esd	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and positive near2 supplies) and esd	USPAT; US-PGPUB	
		((TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		and Vdd and Vss) and esd	USPAT; US-PGPUB	
		(TFT near2 (array device circuit switch))	USPAT; US-PGPUB	
		same power near2 supplies	USPAT; US-PGPUB	

71	0	((TFT near2 (array device circuit switch)) same power near2 supplies) and esd	USPAT;	2004/09/01 10:54
72	6141	(row gate) near2 driv\$3 same (voltage power) near2 supplies	US-PGPUB	2004/09/01 11:00
73	572	((row gate) near2 driv\$3 same (voltage power) near2 supplies) and lcd	USPAT;	2004/09/01 10:55
74	10	((row gate) near2 driv\$3 same (voltage power) near2 supplies) and lcd) and esd	US-PGPUB	2004/09/01 10:55
75	736	((row gate) near2 driv\$3 same (voltage power) near2 supplies) and tft	USPAT;	2004/09/01 11:01
76	1	((row gate) near2 driv\$3 same (voltage power) near2 supplies) and tft) and esd	US-PGPUB	2004/09/01 11:01
77	7	("4807973"   "5233448"   "5323254"   "5652632"   "5668032"   "5691787"   "5748179").PN.	USPAT	2004/09/01 10:57
78	1379	(row LCD) near2 driv\$3 same (voltage power) near2 supplies	USPAT;	2004/09/01 11:00
79	209	((row LCD) near2 driv\$3 same (voltage power) near2 supplies) and tft	US-PGPUB	2004/09/01 11:01
80	0	((row LCD) near2 driv\$3 same (voltage power) near2 supplies) and tft) and esd	USPAT;	2004/09/01 11:01
81	20	((row LCD) near2 driv\$3 same (voltage power) near2 supplies) and esd	US-PGPUB	2004/09/01 11:06
82	51262	semiconductor near2 chip	USPAT;	2004/09/01 11:06
83	33	(semiconductor near2 chip) and internal near2 esd	US-PGPUB	2004/09/01 11:10
84	21082	plurality near2 pads	USPAT;	2004/09/01 11:11
85	9996	(plurality near2 pads) and chip	US-PGPUB	2004/09/01 11:11
86	276	((plurality near2 pads) and chip) and esd	USPAT;	2004/09/01 11:28
87	22	("5345356"   "5521783"   "5559659"   "5644460"   "5706156"   "5721656"   "5751051"   "5875086"   "5923079"   "5953191"   "5982599"   "6072350"   "6118640"   "6144542"   "6157203"   "6169310"   "6249414"   "6292343"   "6411480"   "6411485"   "6424013"   "6650165"   "2002/0021538").PN.	USPAT	2004/09/01 11:11
88	6	("5157573"   "5706156"   "5721656"   "5973901"   "6091595"   "6097071").PN.	USPAT	2004/09/01 11:19
89	0	6785109.URPN.	USPAT	2004/09/01 11:20
90	4	("5430595"   "5616943"   "5731941"   "5740000").PN.	USPAT	2004/09/01 11:26
91	1897	361/56.CCLS.	USPAT;	2004/09/01 11:28
92	5	361/56.CCLS. AND LCD	US-PGPUB	2004/09/01 11:29
93	6	361/56.CCLS. AND TFT	USPAT;	2004/09/01 11:31
94	31906	GATE NEAR2 DRIV\$3	US-PGPUB	2004/09/01 11:32
96	996	((GATE NEAR2 DRIV\$3) AND VOLTAGE NEAR2 REFERENCE) AND (LCD TFT)	USPAT;	2004/09/01 11:32
97	9	((GATE NEAR2 DRIV\$3) AND VOLTAGE NEAR2 REFERENCE) AND (LCD TFT)) AND ESD	US-PGPUB	2004/09/01 11:34
98	5581	INTERNAL NEAR2 (DEVICE CIRCUIT) SAME CHIP	USPAT;	2004/09/01 11:34
99	360	(INTERNAL NEAR2 (DEVICE CIRCUIT) SAME CHIP) AND ESD	US-PGPUB	2004/09/01 11:52
100	55	tft SAME ESD	USPAT;	2004/09/01 12:23
101	4	("5744837"   "5936687"   "5973658"   "6013923").PN.	US-PGPUB	2004/09/01 12:02
102	385	TEST\$2 NEAR4 ESD	USPAT	2004/09/01 12:23
103	5	tft AND (TEST\$2 NEAR4 ESD)	USPAT;	2004/09/01 12:34
			US-PGPUB	

104	9	LCD AND (TEST\$2 NEAR4 ESD)	USPAT;	2004/09/01 12:34
105	35	tft AND MIXED NEAR2 VOLTAGE	US-PGPUB	2004/09/01 13:01
106	398	NEGATIVE NEAR2 ESD	USPAT;	2004/09/01 12:40
107	472	POSITIVE NEAR2 ESD	US-PGPUB	2004/09/01 12:40
108	331	(NEGATIVE NEAR2 ESD) AND (POSITIVE NEAR2 ESD)	USPAT;	2004/09/01 12:40
109	0	tft AND ((NEGATIVE NEAR2 ESD) AND (POSITIVE NEAR2 ESD))	US-PGPUB	2004/09/01 12:40
110	3	LCD AND ((NEGATIVE NEAR2 ESD) AND (POSITIVE NEAR2 ESD))	USPAT;	2004/09/01 12:40
111	65	ic NEAR2 CHIP AND MIXED NEAR2 VOLTAGE	US-PGPUB	2004/09/01 13:09
112	3	("4989057"   "5541801"   "6518815").PN.	USPAT	2004/09/01 13:06
113	32785	INTERNAL NEAR2 CIRCUIT	USPAT;	2004/09/01 13:10
114	1153	(INTERNAL NEAR2 CIRCUIT) AND ESD	US-PGPUB	2004/09/01 13:10
115	106	((INTERNAL NEAR2 CIRCUIT) AND ESD) AND PLURALITY NEAR2 DIODE	USPAT;	2004/09/01 13:37
116	10	("5290724"   "5379175"   "5629545"   "5644460"   "5670799"   "5717559"   "5721656"   "5731940"   "5751051"   "5875086").PN.	USPAT	2004/09/01 13:14
117	7	("5182621"   "5220443"   "5272586"   "5442217"   "5521783"   "5561577"   "5629545").PN.	USPAT	2004/09/01 13:16
118	26	5721656.URPN.	USPAT	2004/09/01 14:23
121	1	(OPPOSIT\$2 NEAR3 PLURALITY NEAR2 DIODE) AND ESD	USPAT;	2004/09/01 13:40
124	42	(OPPOSITE NEAR3 DIRECTION NEAR5 DIODES) AND ESD	US-PGPUB	2004/09/01 13:51
125	3	("4989057"   "5610790"   "6496341").PN.	USPAT	2004/09/01 13:47
126	273	KER.IN.	USPAT;	2004/09/01 13:52
127	32	KER.IN. AND PLURALITY NEAR2 DIODE	US-PGPUB	2004/09/01 13:52
128	9	("4596936"   "4839768"   "4870530"   "5515225"   "5625522"   "5706156"   "5717559"   "5721656"   "5724219").PN.	USPAT	2004/09/01 14:03
129	2	5973901.URPN.	USPAT	2004/09/01 14:04
132	339	(internal near2 (circuit device) and ground near2 (circuit device terminal)) and esd	USPAT	2004/09/01 16:22
133	264	((internal near2 (circuit device) and ground near2 (circuit device terminal)) and esd) and diodes	USPAT	2004/09/01 15:06
134	10	("4596936"   "4839768"   "4870530"   "5442217"   "5515225"   "5625522"   "5706156"   "5717559"   "5721656"   "5724219").PN.	USPAT	2004/09/01 14:31
135	1	"5345356".PN.	USPAT	2004/09/01 14:34
136	1	"5345356".PN.	USPAT	2004/09/01 14:35
137	2	6208494.URPN.	USPAT	2004/09/01 14:36
138	9	6069782.URPN.	USPAT	2004/09/01 14:38
139	1	"5751051".PN.	USPAT	2004/09/01 14:44
140	2	5953191.URPN.	USPAT	2004/09/01 14:45
141	7703	plurality near2 diodes	USPAT	2004/09/01 15:07
144	20	(diodes near4 opposite near2 direction) and esd	USPAT	2004/09/01 15:36
145	5732	diodes near4 (revers\$2 opposite forward) near2 direction	USPAT	2004/09/01 15:36
146	124	(diodes near4 (revers\$2 opposite forward) near2 direction) and esd	USPAT	2004/09/01 15:37
147	5	("4092709"   "4464634"   "4523152"   "5070538"   "5512857").PN.	USPAT	2004/09/01 15:40
148	2165	361/55,56,57.ccls.	USPAT;	2004/09/01 16:32
			US-PGPUB	

150	1	((plurality near2 diodes) and 361/55,56,57.ccls.) and (LCD TFT)	USPAT; US-PGPUB	2004/09/01 16:26
149	116	(plurality near2 diodes) and 361/55,56,57.ccls.	USPAT; US-PGPUB	2004/09/01 16:33
151	1285	361/90,91.1,92.ccls.	USPAT; US-PGPUB	2004/09/01 16:34
152	40	(plurality near2 diodes) and 361/90,91.1,92.ccls.	USPAT; US-PGPUB	2004/09/01 16:34
153	1459	361/111.ccls.	USPAT; US-PGPUB	2004/09/01 16:34
154	91	(plurality near2 diodes) and 361/111.ccls.	USPAT; US-PGPUB	2004/09/01 16:34
-	403	LCD and ESD	USPAT; US-PGPUB	2004/08/31 17:37
-	117	(LCD and ESD) and tft	USPAT; US-PGPUB	2004/09/01 09:43